



Zen

Small, attractive
and surprisingly
autonomous

AZKOYEN®

Conceived to increase your profits

Zen may be small but it is incredibly productive for operators and attractive to consumers.

Customixer function: fidelize consumer and increase your profits

Consumers have become extremely exigent. They require a service more personalized and adjusted to their needs, and they are prepared to pay an extra for it. The Azkoyen Customixer function allows that **each service can be graduated by the consumer in terms of quantity of coffee, milk and sugar** desired thanks to the potential of the new VPTT Vending Performance grinder and to the flexibility of the Azk V10 espresso Group.

- Increase the average selection price or reduce the cost with the new preselections "Extra shot of coffee" and "light coffee".
- **Increase the sales** per machine with the Customixer function that allows the consumer to personalize the service.




Attractive and customisable: the centre of attention

The attractive design of Zen aims to grab the attention of potential consumers to increase the number of services per machine, particularly at public vending points. The design is minimalist, ergonomic and intuitive.

- **Exclusive back-lit touch keypad** with screen effect.
- **Customizable:** front and decals.



Decals 2



Decals 3



Decals 4



Decals 1



Up to 3 times more autonomy: win more points of sale and optimize routes

Autonomy is a key factor in the profitability of a vending service business. The equipment has been designed to provide real autonomy equivalent to the number of cups by optimizing coffee, milk and chocolate capacity. This autonomy allows the reduction of operational costs in maintenance and product refilling per machine.

- Save up to 33% of costs in each operations route.

Reduce operational costs. Making your work easier is our main aim



Installation and programming extremely straightforward:

- Pre-installed profiles.
- 12 programmable buttons.
- Configuration software for PCs.



Cleaning and re-stocking the product is very fast and easy:

- Folding cover.
- Flat surfaces for easy cleaning.
- Removable waste tray.
- A front made from one piece.



High reliability and easy maintenance:


- Soluble product system designed to avoid product blockage.
- Alarm system for water filter change - volumetric counter.
- Alarm system for the espresso group maintenance - number of services.

Environmentally friendly

Zen has been developed under the 3R rule: Reduce, reuse, recycle.

- **Reduce:** We have reduced energy consumption as far as possible, obtaining A+ energy efficiency certification.
- **Reuse:** Designed for conditioning, which lengthens the useful life.
- **Recycle:** Made according to RoHS and WEEE European directives.



	Zen 5 espresso	Zen 6 espresso	Zen 5 instant	Zen 6 instant
Capacity Configuration	Coffee bean hoppers: 1 Soluble canisters: 4 Single: 1 Double: 1 Asymmetric: 2 Cups: 320	Coffee bean hoppers: 1 Soluble canisters: 5 Single: 1 Double: 0 Asymmetric: 4 Cups: 320	Coffee bean hoppers: - Soluble canisters: 5 Single: 2 Double: 1 Asymmetric: 2 Cups: 320	Coffee bean hoppers: - Soluble canisters: 6 Single: 2 Double: 0 Asymmetric: 4 Cups: 320
Product Capacity	Coffee beans: 1,9 Kg Soluble coffee: 0,4 Kg Soluble milk: 2,2 Kg Chocolate: 2,2 Kg Soluble tea: - Sugar: 2,6 Kg	Coffee beans: 1,9 Kg Soluble coffee: 0,4 Kg Soluble milk: 1,6 Kg Chocolate: 2,2 Kg Soluble tea: 1 Kg Sugar: 2,6 Kg	Coffee beans: - Soluble coffee: 0,8 Kg Soluble milk: 2,2 Kg Chocolate: 2,2 Kg Soluble tea: 1 Kg Sugar: 2,6 Kg	Coffee beans: - Soluble coffee: 0,8 + 0,4 Kg Soluble milk: 1,6 Kg Chocolate: 2,2 Kg Soluble tea: 1Kg Sugar: 2,6 Kg
Brewing systems	Type: Espresso Capacity: 8 gr. Name of the Group: Espresso Azk V10 Number of mixers: 2/3		Type: Instant Number of mixers: 3/4	
Grinder	Name of the grinder: VPTT Vending Performance Number of grinders: 1			
Boiler	Type: Pressure Capacity volume: 315 cc			
Selections and pre-selections	Type of selection interface : touch keypad Selections: 4 Pre-selections: 8			
Connectivity and communications	RS232			
Sensors and Filters	Out of Coffee detector Blocked grinder detector Electronic water temperature control. Electronic water level control. Optional cup detector			
Dimensions and weight	Height: 740 mm Width: 480 mm Depth: 590 mm Weight: 65-70 kg Base unit: Height: 842 mm Width: 480 mm Depth: 590 mm			
Energy	 Voltage: 230 V/50 Hz Maximum Power: 1800W			



salesservice@azkoyen.com
www.azkoyenvending.com

VENDING SYSTEMS

España
Avda. San Silvestre, s/n
31350 PERALTA (Navarra)
Tel.: 948 709 709*
Fax: 948 709 708

France
7 Allée de Londres
Le Madras Bat C2
91140 VILLEJUST
Tel.: 01 69 75 42 10
Fax: 01 69 75 42 11

U.K.
Unit 1, Portishead Business Park
Old Mill Road, Portishead
Bristol, BS20 7BX
Tel: 01275 844 471
Fax: 0870 224 5317

Deutschland
Am Turm 86
53721 SIEGBURG
Tel.: 02241-595 70
Fax 02241-595 790